

AUCTION



FORMER ASSETS OF:
REGAL BELOIT CORPORATION & GENERAL ELECTRIC CO.
1412 13TH STREET, TELL CITY, INDIANA 47586

WEDNESDAY, FEBRUARY 1, 2006 - 9:00 A.M.



LAM MOTOR
ASSEMBLY
PLANT




Danley 200
Ton Press

OVER 800
LOTS!!

(2) Minster 150
Ton Presses

Minster 300
Ton Press



BidSpotter.com
LIVE INTERNET
BIDDING

Visit
www.bidspotter.com
for registration

Charleston Auctions
"International Industrial Auction Services"

Sale Location: 1412 13th Street, Tell City, Indiana
Wednesday, February 1st, 2006 - 9:00 A.M.

Preview Inspection: Tuesday, January 31st, 9:00 A.M. - 5:00 P.M.

Auctioneers: Robert Charleston AU01042047, Chad Olson AU10400029, Company AC68900001
433 Council Drive, Fort Wayne, IN 46825

1-260-373-0850 • Toll Free 1-877-301-9344 • FAX 1-260-373-0854

E-mail us at info@charlestonauctions.com or visit our website at www.charlestonauctions.com





HANNIFIN MULTI PRESS



BRIDGEPORT UNIVERSAL MILLING MACHINE



L.T.G. ROTOR HEAT SHOCK ANNEAL OVEN



MINSTER 300 TON PRESS



PERFECTO STRAIGHTNER



DANLEY 200 TON PRESS



PERFECTO AUTO CENTERING REEL

PRESSES & PRESS RELATED EQUIPMENT:

- MINSTER 300-Ton Press, Model P2-300-84, 1" Stroke, 6" Slide Adjustment, 300-Ton Capacity, S/N P2-300-11737
- MINSTER 150-Ton Press, 250-450 SPM, 1" - 4" Slide Adjustment, 1" Stroke, Bolster L-R 48", Bolster F-B 40", S/N P2-150-16891
- MINSTER 150-Ton Press, Model P2-150-48 "PIECEMAKER", 4" Slide Adjustment, 125-375 SPM, Bolster L-R 48", Bolster F-B 40", 1" Stroke, w/Sound Enclosure, S/N P2-150-18705
- DANLEY 200-Ton Press, Model H2-200-60-36, 1 ¼" Stroke, 28 ¼" Shut Height, 100-300 SPM Continuous, 80-240 SPM Single Stroking, 4" Slide Adjustment, Bolster L-R 60", Bolster F-B 36", S/N 66246206
- (4) DENNISON Multi Presses, 7 ½ & 8-Ton, S/N's 10577, 13985, 21661, 15644, 27498
- DENNISON Multi Press, Model FH4C01C21A59506, 4-Ton Capacity, S/N 10890-T11
- DENNISON Multi Press, Model 5085MC204FSD267, 3-Ton Capacity, 5 HP, 1800 Motor RPM, 3-Phase, Max. PSI 1930, 18" Daylight, 7" Throat, Ram Dia. 2.25", 12" Stroke, 3.25" Cycle Bore, S/N 16007D270C262A72
- DENNISON Multi Press, Model DG6C04D10A01520, 6-Ton Capacity, S/N 12748-T9
- DENNISON Multi Press, Model DGCC61C17A59, 6-Ton Capacity, S/N 6599-P9
- DENNISON Multi Press, Model A, 1-Ton Capacity, Series 25-4861-W, 110 Volt, S/N 1869
- HANNIFIN Hydraulic Press, Model QGF-38-5-2-2PB2, 3-Ton, 35 Gallon Capacity, S/N T-10156
- ABEX DENNISON Press, Model FWH150MC261-A259, 3-Phase, 2385 Max. PSI, w/STI MINISAFE-B Light Curtain, 10 HP, Tonnage Not Available
- HANNIFIN Hydraulic Press, Model OG-F3B-5-2-2-PB, 3-Ton Capacity, 35 Gallon Capacity, Max. PSI 1910, S/N T1586
- LITTELL Straightener, Model 418-7PD, 18" Capacity, S/N 63921-58
- LITTELL Auto Centering Reel, Model 20-12, 2,000 Lb. Capacity, S/N 5-3095-76
- LITTELL Auto Centering Reel, Model 20-12, 2,000 Lb. Capacity, S/N 80190-73
- LITTELL Auto Centering Reel, Model 25-12, 2,500 Lb. Capacity, S/N 8686-65
- LITTELL Auto Centering Reel, Model 40-12, Coil Weight 4,000 Lbs., 15-20" Capacity, Max. Width 12", Max. O.D. 60", S/N 854-06-79
- PERFECTO Straightener, Model 17-8-9, 1500 RPM, 8" Width Capacity, Max./Min. Stock Thickness .018-.078, S/N SS-3522-1

- PERFECTO Straightener, Model 11/2-8-9SS S/N: SR-3018
- PERFECTO Auto Centering Reel, Model 12-M-DB, S/N DR-3499-1
- Hydraulic 150 Ton H-Frame Shop Press
- DAKE 50-Ton H-Frame Shop Press, Model 50H
- Various DAKE, GREENARD, ACME, ARBOR Presses, Tonnage Varies
- SHADOW V Light Curtain, Model 12TX, S/N 9649329
- (3) 2003 JORGENSEN Magnetic Chip Conveyors, 8" W x 8' L, S/N's R000130-5, R000130-2, R000130-1
- WARDCRAFT Chip Conveyor, Model SH1800-10, S/N 15313-2694

MILLING & DRILLING MACHINES:

- BRIDGEPORT Vertical Knee Mill, 1 ½ HP, 9" x 42" Table Size, w/BRIDGEPORT Power Feed, S/N 157784
- BRIDGEPORT Vertical Mill, 9" x 42" Table Size, 4" Column Riser, Servo Power Feed, S/N 133212
- BRIDGEPORT Vertical Mill, 9" x 42" Table Size, 2-Axis Power Feed, Accu-Rite DRO, w/Machine Vise, S/N 109755
- BRIDGEPORT Universal Mill, Model 52, 14" x 55" Table Size, 3-Phase
- MILWAUKEE Model "K" Horizontal Mill, Twin Spindle, 12" x 54" Table Size, w/Machine Vise
- (2) CLAUSING Variable Speed Drill Presses, Model 1687, 5' x 20" Table Size, S/N's 521978 & 521980 (Set-Up As Bearingizers)
- CLAUSING 2-Head Gang Drill Variable Speed Drill Presses, S/N 103694
- CINCINNATI Radial Arm Drill, 4' Arm, 11" Column
- WALKER TURNER Drill Press, 12" x 10" Table Size, S/N 52DB20
- ROCKWELL DELTA Variable Speed Drill Press, Model 15-655, 14" x 11" Table Size, ¾ HP, S/N 1415326
- HARDINGE Horizontal Mill, 25" x 6" Table Size, w/Small Machine Vise
- DAHLSTROM Hand Tapper w/Tooling & Stand
- Lg. Qty. Of Machine Tooling (I.E. Machine Vises, Rotary Tables, Set-Up Tooling, Index Fixtures, Angle Vises, Demagnetizers, Etc.)
- Various Perishable Tooling (I.E. Reamers, Carbide Drills, Endmills, Etc.)

LATHES:

- (4) TRAUB Lathes, Model TB42, (2) w/LIPE Bar Feeders



ROCKWELL 10" TABLE SAW



VARIOUS TOOL GRINDERS

- SOUTHBEND 17" 'TURN-NADO' Lathe, 2" Spindle Hole, Tooled Up, S/N 68GL1697
- LEBLOND REGAL Lathe, 13" Swing, 26" BTC, Tooled Up
- (2) HARDINGE Speed Lathes, 17" BTC, 9" Swing, Tooled Up

METAL FABRICATION EQUIPMENT:

- CHICAGO Pan Brake, Size 818, 8' Length Capacity, 18 Ga. Capacity, S/N 90650
- TENNSMITH Stomp Shear, Model T-52, 52" Width, 16 Ga. Capacity, Manual Back Gage, S/N 16863
- DI-ARCO Bench Top Finger Brake, Model No. 24, 24" Capacity, w/Manual Back Gage, S/N FB-2933
- DI-ARCO No. 18 Turrent Punch, w/Dies & Tooling, S/N BE2292
- LOCKFORMER, 22 Ga. Capacity, S/N 11219
- PEXTO Hand Brake, Model 68.F, 30" Capacity, 22 Ga. Capacity, S/N 49
- PEXTO 3-Roll Manual Roll Former, Model 882D, 31" Capacity, 22 Ga. Capacity, S/N 48
- DI-ARCO Manual Steel Shear
- PEXTO Crimpers & Flangers

GRINDING & BUFFING EQUIPMENT:

- CINCINNATI Universal Grinder, 3-Phase, S/N 1D2T5H-54
- HAMMOND Tool Grinder, Model WD-6, ½ HP, 3450 RPM, 3-Phase, S/N 9345
- DAREX Tool Grinder, Model E-90, S/N 93677
- DAREX Drill Sharpener, 1/3 HP, 3450 RPM, Single Phase
- DAYTON Universal Sander, 6" Vertical/Horizontal Belt Sander, 12" Disc Sander, S/N 1040026
- CINCINNATI Dbl. End Grinder, Model 1BA, ¼ HP, 3-Phase, S/N 241162
- DEVIEG Tool Grinder, S/N 479-300
- Various Dbl. End Grinders & Buffers

WELDING/BLASTING EQUIPMENT:

- (2) MILLER Tig Welder, Model 'GOLDSTAR' 300SS, 3-Phase, 230/460 Volt, S/N's JE762323 & JE762329
- AIRCO 300 Amp Arc Welder, Model 1343-0137, S/N HF827643
- (2) LENCOSPOT MARK II Duo-Spot Welders, Model L-4000, Single Phase
- Lg. Qty. Of Welding Supplies & Accessories (I.E. Welding Wire & Rod, Torch Heads, Plasma Cutting Heads, Portable Torch Sets, Welding Clamps, Locking C-Clamps, Torch Tips, Welding Leads, Face Shields, Etc.)

MATERIAL HANDLING EQUIPMENT:

- CLARK 3,000 Lb. Electric Fork Lift, Model TM15, Side Shift, 3-Stage, Clearview Mast, 36 Volt, 170" Lift Height, S/N TM24702306840
- CLARK 3,000 Lb. Electric Fork Lift, Model TM15, 36 Volt, Side Shift, 3-Stage, Clearview Mast, 188" Lift Height, S/N TM24702367105
- (2) CLARK 3,000 Lb. Electric Fork Lifts, Model EC500-530, 36 Volt, Side Shift, 3-Stage, 130" Lift Height, 188" Lift Height, S/N's E235-0067-4860FA & E235-0115-4545FA
- HYSTER 3,000 Lb. Electric Fork Lift, Model E30BS, 36 Volt, Side Shift, 3-Stage, 174" Lift Height, S/N B114V03003E
- HYSTER 3,000 Lb. Electric Fork Lift, Model E30X, 36 Volt, 2-Stage, Low Profile, Clearview Mast, S/N C114V04963M
- HYSTER 5,000 Lb. Electric Fork Lift, Model E50XL-27, 36 Volt, Side Shift, 3-Stage, Clearview Mast, 187" Lift Height, S/N C108V14968M
- HYSTER 5,000 Lb. Electric Fork Lift, Model E50XL-27, 36 Volt, Side Shift, 3-Stage, Clearview Mast, 187" Lift Height, S/N C108V07539J
- HYSTER 5,000 Lb. Electric Fork Lift, Model E50A, Side Shift, 3-Stage, Clearview Mast, 187" Lift Height, S/N A1G8V02182V
- HYSTER 5,000 Lb. Electric Fork Lift, Model E50B, 36 Volt, Side Shift, 3-Stage, Clearview Mast, 187" Lift Height, S/N B108V09737
- PRESTO Electric Walk Behind, Model C62, 1,000 Lb. Capacity, S/N 153739
- SOUTHWORTH Portable Lift Unit, Model PZ7W2-65, 2,000 Lb. Capacity, S/N Z10844-100-1
- (4) Rotary Top Scissor Lift Tables
- Various Die Carts, Material Carts, Lift Carts, Workbenches, Cabinets, Storage Cabinets, Barrel Carts, Dollies, Etc.
- Various BIG JOE, PRESTO Walk Behind Die Carts & Material Lifts, Hydraulic Pallet Jacks, Manual Hi-Jacker Man Lifts
- Lg. Qty. Of Various 24 & 36 Volt Battery Chargers

SAWING MACHINERY:

- DOALL Metal Master Vertical Band Saw, w/Blade Welder, 16" Throat, 24" x 24" Tilting Table, S/N 412125
- WILTON Horizontal Band Saw, Model 7040, 2 HP, 3-Phase, S/N 706014
- KALAMAZOO Horizontal Band Saw, Model 8-C-D, S/N 3975360



JLG SCISSORS LIFT



WILTON HORIZONTAL BAND SAW



CLAUSING 2-HEAD GANG DRILL



LYONS STORAGE CABINETS



ECONOLINE BLAST CABINET



SPEEDAIRE HORIZONTAL AIR COMPRESSOR



LEBLOND TOOL ROOM LATHE



LG. QTY. OF CANTILEVER RACKS AND VARIOUS STEEL



DAYTON VERTICAL BAND SAW



DOALL VERTICAL BAND SAW



RIDGID PIPE THREADER



WILTON 6" BELT SANDER

- DAYTON 18" Vertical Metal Cutting Band Saw, Model 6Y942, 18" Throat, 19" x 18" Tilting Table
- EMERSON 16" Abrasive Cut-Off Saw, Model 13-1010R, 10 HP
- DOALL Blade Storage Cabinet, Completely Loaded
- Lg. Qty. Of NEW Band Saw Blades (I.E. STARRETT Power Band, MILWAUKEE HD Portable Band Saw Blades

PLANT SERVICING EQUIPMENT:

- INGERSOLL RAND 200 HP Rotary Screw Air Compressor, 1100 CFM, Model SSR-XFE200-25, w/LIMITAMP Motor Controller, Model CR194A117A2, Load Type Ind. 200 HP, Multilin Motor Management Relay 269 Plus
- SPEEDAIR Horizontal Air Compressor, Model 1WD36, 20 HP, 3-Phase, 2-Stage, S/N R0041439
- JLG Electric Scissor Lift, Model 2033E, Extendable Platform, S/N 0200028350
- (COMPLETE) ENERPAC One-Shot Hydraulic Bender, Model EH-84, ½" - 4" Bending Capacity
- RIDGID Power Pipe Threader, Model 535, w/Tooling
- RIDGID Power Pipe Threader, Model 500 w/Tooling
- ADVANCE Retriever Floor Sweeper, Model 5600B, 36 Volt, S/N 973575
- (2) ABOUT Air Portable Smog Hogs
- (2) ABOUT AIR Ceiling Mountable Air Filters, Model 1068 & 1024, 3-Phase, S/N's I20000626 & IGRXXFOE
- Over (20) "Like New" LYONS Storage Cabinets
- Lg. Qty. Of Flammable Fluid Storage Cabinets
- CHAMP Platform Scale, 18" x 18" Scale, Digital Readout
- Modular Office, 12' W x 23' L x 8'4" H, Built-In Rooftop A/C Unit
- (2) Modular Offices, 12' W x 16' L x 8' 4" H

Q.C. & INSPECTION EQUIPMENT:

- 1984 MEXA-21A CO2 Analyzer, Model MEXA-201E, S/N E-70080
- LEITZ Microscope, S/N 556602
- SETRA Digital Gram Scale, Model 5000C, 5000.00 Gram Capacity
- Various Force Gages, Surface Plates, Height Gages & Stands, Calipers, Micrometers, Dial Indicators, Scales, Etc.
- (3) ROCKWELL Hardness Testers

SLITTING LINE:

- YODER Steel Slitting Line, 48" Capacity, 15 HP Slitter Motor, 7 ½ HP Hydraulic Pump Unit Inc'l:
 - Coilcart: Model 44W460D, S/N 855EH
 - Uncoiler: Model 20H42, S/N 7121
 - Scrap Chopper: Model 1-42, S/N 7123
 - Overarm Separator: Model MSC-53
 - Take Up Reel: Model 100-42, S/N 7124
 - Steel Slitter: Model 7122

PAINT SYSTEM:

- KOCH CATHODICOTE Paint Line System, Electrostatic & Wood Capable, 4 FPM Conveyor Speed, 120 Second Immersion Time, Max. Ware Size 1' x 6" Length, 1' x 6" Width, 3' 0" Height, 4' 6" Inside Tank Width, 3,500 Gallon (Approx.) Main Tank Volume, 350 Gallon (Approx.) Control Tank Volume, Entire System S/N 919-5946 Complete With:
 - P.T.I. Advanced Filtration Filters
 - Overhead Chain Conveyor
 - Drying Line Oven
 - Wash Line 30" W x 48" H Opening
 - 10,000 Gallon Storage Tank w/Fulflo Filter System
 - COPELAND Chiller Unit
 - CONTROLLED POWER COMPANY Voltage Controller

MOTOR WINDING EQUIPMENT:

- FORT WAYNE Stader Winder, 42FR KSP 6-Pole Winding Machine, Model A-1, S/N 66-A1-1527
- GRIFFIN AUTOMATION INC. 4-6 Pole Shading Coil Automated Welding Machine, Model 4200, w/LINCOLN Squarewave Tig-355 Tig Welder & Thermal Arc WC100B Plasma Welding Console, S/N 12-96
- WINDAMATIC 42FR 6-Pole Stader Winding Machine, Model XL6, S/N XL6-180-25A-331
- AUTOMATION ENGINEERING Modular Auto Stader Tester, 42F KSP 6-Pole Winding Machine
- MOLEX INCORPORATED Motor Lead Wire Terminal Machine, Model 3BF151, S/N 2632
- (7) AMP-O-LECTRIC Motor Lead Wire Terminal Machines, Single Phase, 1725 RPM, ¼ HP, S/N's 26936, 26935, 29403, 53821, 58228, 55694, 55613
- (15) AMP-O-LECTRIC Motor Lead Wire Terminal Machines, Model 1-47-1273-1, ¼ HP, Single Phase
- (6) 42Farious AMP Machine Dies and Tooling
- (6) 42FR 4 & 6 Pole Shading Coil Insert & Fold Machines



150 TON SHOP HYD. SHOP PRESS



(2) MILLER TIG WELDERS LOCKFORMER



TENNSMITH STOMP SHEAR

- (2) Motor Assembly Clamp Bolt Nut Runners For 42-Fr Motor
- SHELL Repunch Machine, 3-Ton Capacity, Hydraulic, Horizontal
- GE STADERCORE Bearingizer, 42 Frame
- UNIVERSAL Automatic 42FR Motor End Shield Oil Hole Drilling Machine, 8-Station High Speed Step Drills, 2.5 Second Cycle Time, Model AM803, S/N 2245
- REMMELE ENG. 42FR High Speed Rotor Later, w/VICKERS Hydraulic Pump Unit, S/N 83-8362
- ROTOR Heat Shock Water Quinch Machine
- (3) RING & COLLOR Stations 42FR Shaft Thrust Collar Water Slinger Assembly Machines
- ARTOS Motor Lead Cable Tension/Dereel Stand, Model PF-2, S/N 49206
- AMP and ARTOS Tooling

OVENS:

- CRESS Heat Treat Oven, Model C122012K, 230 AC Volt, 45 Amp, Max. Temp. 1200° F, S/N 9009
- L.T.G. Rotor Heat Shock Anneal Oven, Max. Operating Temp. 1020o F, 24" Wide Belt, Cool Down Chamber & All Miscellaneous Parts, S/N 10079
- DRY SYSTEMS COMPANY Electric Motor Stader Varnish & Curing System, Model 5-67, w/500 Ga. Emergency Flow Off Tank, S/N 12629

MISCELLANEOUS EQUIPMENT:

- ECONO-LINE Dry Blast Cabinet, w/ECONO-LINE Barrel Type Dust House , 38" D x 40" W
- ELECTRO-ARC Metal Disintegrator, Model 25A, 440 Volt, 12 Amp, S/N 1614
- Lg. Qty. Of Steel & Steel Cantilever Type Racking Steel Inventory Consisting Of:
 - Angle
 - Rod & Bar Stock
 - Conduit (All Sizes)
 - Flat Stock
 - C-Channel
 - Tool Steel
 - Expanded
 - Threaded Rod
 - Copper Tube
- Various Spare Parts (I.E. Bearings, Hoses, Fittings, Electrical Components, Valves, Lockout Equipment, Conduit, Too Much To List It All!)
- HOSHIZAKI Ice Cuber, Model KM-630MAE, 500 Lb. Capacity, S/N D02669F
- TRUE 2-Door Glass Front Refrigerator, Model GDM-47, Single Phase, S/N 1674941
- Various Roll Around Trash Cans
- Café Area - (13) 3' x 5' Rectangle Tables & (5) 4' Round Style Pedestal Tables
- (39) Stack Chairs

OFFICE EQUIPMENT:

- Various Drafting Tables, Conference Tables, Chairs, 2 & 4 Drawer File Cabinets, Lateral File Cabinets, Storage Cabinets, Bookshelves, Overhead Projectors, Tables, Dbl. Pedestal Desks, Office Partitions, Fire Files, Projection Screens, Roll Around Floor Mats, Trash Cans, Sofas, End Tables, Leather Furniture & Much, Much More!

DIECAST EQUIPMENT:

- CASTMASTER 600 Ton Die Caster, Model 63-251

FIRST AID:

- TRACOR RA4000 Audiometer, Model RA4000, Single Phase, w/ECKEL INDUSTRIES Autometric Booth, S/N 341565
- (2) Portable Oxygen Carts
- Various Hospital Style Cabinets, Suture Chair, Glass Dispenser Containers, (2) Hospital Beds, Waiting Area Seating, GENERAL ELECTRIC Refrigerator, Wheelchair, Roll Around Stretcher
- OMC Autoclave Sterilizer, Single Phase, S/N A3-75167
- CPR Dummy (Complete)

DRIVING DIRECTIONS:

I-65 South to 265 West (Exit 6B) to I-64 West
Go Approximately 60+ miles to 37 South to Tell City

FOLLOW AUCTION SIGNS!

HOTELS:

Holiday Inn Express (812) 547-0800
Ramada Limited (812) 547-3234



IMPORTANT INFORMATION:

SALE LOCATION: 1412 13th Street, Tell City, Indiana 47586

DATE & TIME: The Auction will begin promptly at 9:00 A.M. on Wednesday, February 1, 2006. Doors open at 7:00 A.M.

PREVIEW INSPECTION: The items will be available for advance inspection from 9:00 A.M. - 5:00 P.M. on Tuesday, January 31st, 2006.

TERMS OF SALE: A 10% Buyer's Premium will be charged on all purchases. A 13% Buyers' Premium will be charged if using Mastercard or Visa. For On-Line Auction Terms, please visit bidspotter.com. All bidders must register and provide proper identification. All items are sold "as is, where is" and must be paid for IN FULL, in CASH OR CHECK accompanied by A LETTER FROM THE PAYOR'S BANK GUARANTEEING UNQUALIFIED PAYMENT TO CHARLESTON AUCTIONEERS, INC. for this sale. MASTERCARD & VISA ACCEPTED.

REMOVAL: All rigging and moving companies must show proof of insurance. No items will be removed without proof of payment. Removal times will be Thursday and Friday February 2nd & 3rd and Monday-Friday, February 6th - February 10th, 2006. If additional time is needed, please contact the auction company to schedule an appointment. Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser. Your stamped paid receipt must be shown to checkout supervision prior to removal. Although checkout supervision will be provided, the auction company and sellers are not liable for lost or stolen items purchased at the sale.

NOTE: While all information contained in this brochure and other advertising has been obtained from sources deemed reliable, neither the auction company, seller nor publisher shall be liable for any errors or for the correctness of descriptions. All purchases are made "as is, where is" based entirely on the personal inspection and/or opinion of the purchaser and without warranty or guarantee of any kind. Statements made sale day take precedence over printed matter.



433 Council Dr., Fort Wayne, IN 46825

FORMER ASSETS OF:
REGAL BELOIT CORPORATION
& GENERAL ELECTRIC CO.

Sale Location: 1412 13th Street, Tell City, Indiana 47586
February 1st, 2006 - 9:00 A.M.

Preview Inspection: January 31st, 2006 - 9:00 A.M.-5:00 P.M.

FEBRUARY

SUN	MON	TUE	WED	THU	FRI	SAT
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28				

WWW.CHARLESTONAUCTIONS.COM

AUCTION



FORMER ASSETS OF:
REGAL BELOIT CORPORATION & GENERAL ELECTRIC CO.
1412 13TH STREET, TELL CITY, INDIANA 47586
WEDNESDAY, FEBRUARY 1ST, 2006 - 9:00 A.M.



LIVE INTERNET
BIDDING
Visit
www.bidspotter.com
for registration



Fort Wayne 42FR
Stader Winder



JLG Scissors Lift



Wilton Horizontal
Band Saw